

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9220	((380/227-228) or (380/278-279) or (380/284) or (380/286) or (713/171) or (726/1-7) or (709/224) or (705/78) or (705/71)).OCLS	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L2	231959	(initiat\$4 start\$4 begin\$4 emergency invitation\$1 invit \$3 monitor\$3 request\$3) near4 (event\$1 call\$1 service\$1 cleaning condition\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L3	108092	(initiat\$4 start\$4 begin\$4 open\$3 automatic\$3) near4 (door\$1 building\$1 office \$1 elevator\$1 trip)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L4	13699	L2 and L3	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L5	34537	(defin\$4 generat \$4) near4 (event \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L6	32489	(defin\$4 generat \$4) near4 (procedure\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L7	106088	(defin\$4 generat \$4) near4 (person \$1 user\$1 client \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L8	160	L4 and L5 and L6 and L7	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L9	158	L8 and ((virtual\$1 near3 key\$1) password\$1 code \$1 pin)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L10	152	L9 and (building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L11	152170	(call\$3 invit\$7 request\$4 monitor \$3 service\$1 open \$3) near4 (door\$1 building\$1 elevator \$1 clean\$3 physician\$1 doctor \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L12	62665	L11 and ((virtual \$1 near3 key\$1) password\$1 code \$1 pin)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L13	81865	((transmit\$4 transmission\$1 deliver\$4 send\$3) near3 ((virtual\$1 near3 key\$1) password\$1 code \$1 pin)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L14	5261	L13 near4 (person \$1 user\$1 client \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L15	8156	L12 and L13	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L16	879	L15 and L14	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L17	51942	((detect\$4) near4 ((virtual\$1 near3 key\$1) password \$1 code\$1 pin)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L18	53269	(verif\$9 valid\$7 compar\$5) near4 ((virtual\$1 near3 key\$1) password \$1 code\$1 pin)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L19	126	L16 and L17 and L18	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L20	10866	((380/227-228) or (380/278-279) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/17-19) or (726/27-30) or (709/224) or (705/78) or (705/71)).OCLS.	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L21	60	L20 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L22	237	L20 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key\$1))	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L23	36270	(person\$4 client\$1 user\$1 arriv\$3) near5 (proximity vicinity building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L24	39	L22 and L23	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L25	69020	(verif\$9 valid\$7 compar\$5 authori\$9 verif\$9) near4 ((virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key\$1)) person\$3 user\$1 client\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L26	32	L24 and L25	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L27	930	(person\$4 client\$1 user\$1) near4 (enter\$3 arriv\$3 proximity vicinity) near5 (building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L28	20	L27 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key\$1))	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L29	2	(building\$1 and defin\$3 and virtual and key\$1 and (event\$1 procedure\$2) and authori\$9).clm.	US-PGPUB	OR	ON	2009/03/02 09:09
L30	1	(building\$1 and defin\$3 and virtual and key\$1 and event\$1 and procedure\$2 and initiat\$4 and occurrence\$1 and authori\$9).clm.	US-PGPUB	OR	ON	2009/03/02 09:09
L31	1	(building\$1 and defin\$3 and virtual and key\$1 and initiat\$4 and occurrence\$1 and authori\$9).clm.	US-PGPUB	OR	ON	2009/03/02 09:09
L32	5	(building\$1 and defin\$3 and virtual and key\$1 and authori\$9).clm.	US-PGPUB	OR	ON	2009/03/02 09:09
L33	7	(building\$1 and event\$1 and access\$1 and control\$3 and virtual and key\$1 and authori\$9).clm.	US-PGPUB	OR	ON	2009/03/02 09:09
L34	13	SCHUSTER near3 KILIAN	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L35	28	FRIEDLI near3 PAUL	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L36	0	(L34 L35) and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key\$1))	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09

L37	12	(L34 L35) and (key \$1)	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L38	24	(L34 L35) and (building\$1)	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L39	10	L37 and L38	USPAT; IBM_TDB	OR	ON	2009/03/02 09:09
L40	6600	(initiat\$4 start\$4 begin\$4) near4 (service\$1 emergency invitation\$1 invit \$3 cleaning monitor\$3 request \$3) near4 (event \$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L41	22272	(access\$3 enter\$3 initiat\$4 arriv\$4 author\$9 polic\$3 rule\$1) near6 (building\$1 office \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L42	776	L40 and L41	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L43	3	L42 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L44	2053	(access\$3 enter\$3 arriv\$4) near5 (verif\$9 permit\$4 allow\$5 certif\$9 author\$9) near6 (building\$1 office \$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L45	2	L44 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L46	29	L44 and (virtual near3 (password \$1 number\$1 code \$1 pin id key\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L47	447	(remot\$2 near4 access\$3) near6 (building\$1 office \$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L48	2618	(access\$3 enter\$3 arriv\$4 person\$1 people\$1) near5 (verif\$9 permit\$4 allow\$5 certif\$9 author\$9) near6 (building\$1 office \$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L49	119	L40 and L48	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L50	9241	(person\$1 people \$1) near5 (rule\$1 polic\$3 password \$1 key\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L51	6	L49 and L50	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L52	75548	(access\$3 enter\$3 initiat\$4 arriv\$4 author\$9 polic\$3 rule\$1 person\$1 people) near6 (remote\$2 building \$1 office\$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L53	31604	(access\$3 enter\$3 initiat\$4 arriv\$4 author\$9 polic\$3 rule\$1 person\$1 people) near6 (building\$1 office \$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L54	190748	(access\$3 enter\$3 initiat\$4 arriv\$4 author\$9 verif\$9 certif\$9) near6 (remote\$2 automatic\$3 program\$3 configur\$6)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L55	9428	L53 and L54	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L56	3064	(key password\$1 pin code\$1) near8 (particular\$2 correspond\$3 associat\$4 pre- defin\$6 predefin \$6 predetermin\$6 pre-determin\$6 preset\$3 pre-set \$3 polic\$3 rule\$1) near7 (person\$1 people building\$1 office\$1 elevator \$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L57	18686	(access\$3 enter\$3 arriv\$4) near6 (building\$1 office \$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L58	608	L56 and L57	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L59	30802	(key password\$1 pin code\$1) near5 (person\$1 people maid police service \$1 firefighter\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L60	309	L58 and L59	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L61	48	L60 and ((author \$9 verif\$9 certif \$9) near6 (remote \$2))	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L62	48	(determin\$6 generat\$4 configur \$7) near5 (requir \$4 polic\$3 rule\$1 privelege\$1 privilege\$1) near7 (access\$3 enter\$3 arriv\$4 person\$1 people employee \$1 worker\$1) near6 (building\$1 office\$1 elevator \$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L63	102	(determin\$6 generat\$4 configur \$7) near9 (requir \$4 polic\$3 rule\$1 privilege\$1 privilege\$1) near9 (access\$3 enter\$3 arriv\$4 person\$1 people employee \$1 worker\$1) near9 (building\$1 office\$1 elevator \$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L64	226	(determin\$6 generat\$4 configur \$7) near9 (requir \$4 polic\$3 rule\$1 privilege\$1 privilege\$1 key\$1 password\$1 code \$1 pin) near9 (access\$3 enter\$3 arriv\$4 person\$1 people employee \$1 worker\$1) near9 (building\$1 office\$1 elevator \$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L65	32600	(key password\$1 pin code\$1) near5 (employee\$1 worker\$1 person \$1 people maid police service\$1 firefighter\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L66	19	L63 and L65	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L67	220	(access\$3 enter\$3 initiat\$4 arriv\$4) near6 (procedure \$1 event) near4 (building\$1 office \$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L68	64	L67 and ((determin\$6 generat\$4 configur \$7) near5 (requir \$4 polic\$3 rule\$1 privilege\$1 privilege\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09



L69	24	L68 and L65	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L70	24	L69 and (building \$1 office\$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L71	14784	(initiat\$4 detect\$4 occurrence\$1 determin\$6) near6 (service\$1 emergency invitation\$1 invit \$3 cleaning maid) near6 (request\$3 event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L72	10999	(initiat\$4 detect\$4 occurrence\$1 determin\$6) near4 (service\$1 emergency invitation\$1 invit \$3 cleaning maid) near4 (request\$3 event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L73	1044	L57 and L72	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L74	475	L65 and L73	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L75	1626	(polic\$3 associat \$4 rule\$1 requirement\$1 privilege\$1 privelege\$1) near4 (service\$1 emergency invitation\$1 invit \$3 cleaning maid) near4 (request\$3 event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L76	41	L74 and L75	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L77	41	L76 and (building \$1 office\$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L78	8840	(initiat\$4 detect\$4 occurrence\$1 determin\$6) near5 (service\$1 emergency fire police medical doctor\$1 paramedic\$1) near5 (event\$1 procedure\$1 call \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L79	2085	(access\$3 enter\$3 arriv\$4 person\$1 people\$1 employee\$1 worker\$1 nurse\$1 doctor\$1 police firefighter\$1) near6 (author\$9 access\$3 associat \$4 rule\$1 requirement\$1 privilege\$1 privelege\$1) near4 (building\$1 office\$1 elevator \$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L80	103	L78 and L79	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L81	57	L80 and L65	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L82	57	L81 and (building \$1 office\$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L83	96	L80 and L57	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L84	57	L83 and L65	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L85	8037	(enter\$3 arriv\$4) near6 (building\$1 office\$1 elevator \$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L86	24	L83 and L85	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L87	15	L86 and L65	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L88	2982	(detect\$4 occur \$5 determin\$6) near5 (burglar\$3 emergency fire medical doctor\$1 paramedic\$1 nurse \$1) near5 (service \$1 event\$1 procedure\$1 call \$1 assistance\$1 instance\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L89	1459	(enter\$3 arriv\$4 person\$1 people \$1 employee\$1 worker\$1 nurse\$1 doctor\$1 ambulance\$1 paramedic\$1 police firefighter \$1) near6 (access \$3 author\$9 access\$3 assocait \$4 rule\$1 requirement\$1 privilege\$1 privelege\$1) near6 (building\$1 office\$1 elevator \$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L90	23	L88 and L89	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L91	14045	(key password\$1 pin code\$1) near5 (person\$1 people \$1 employee\$1 worker\$1 nurse\$1 doctor\$1 ambulance\$1 paramedic\$1 police firefighter \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L92	4	L90 and L91	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L93	20757	(key password\$1 pin code\$1 smartcard\$1 tag card\$1) near5 (person\$1 people \$1 employee\$1 worker\$1 nurse\$1 doctor\$1 ambulance\$1 paramedic\$1 police firefighter \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L94	84	L88 and L85	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L95	13	L91 and L94	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L96	6839	(enter\$3 arriv\$4) near6 (building\$1 office\$1 apartment \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L97	6898	(transmit\$4 transmission\$1 communicat\$4 deliver\$3 send\$3 sent) near9 (key password\$1 pin code\$1) near9 (smartcard card\$1 person\$1 people \$1 employee\$1 worker\$1 nurse\$1 doctor\$1 ambulance\$1 paramedic\$1 police firefighter \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L98	190	L96 and L97	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L99	55	L96 and ((key password\$1 pin code\$1) near5 (virtual\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L100	10	L98 and ((key password\$1 pin code\$1) near5 (virtual\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09

L101	2324	(transmit\$4 transmission\$1 communicat\$4 deliver\$3 send\$3 sent) near9 (key password\$1 pin code\$1) near9 (person\$1 people \$1 employee\$1 worker\$1 nurse\$1 doctor\$1 ambulance\$1 paramedic\$1 police firefighter \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L102	99	L96 and L101	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L103	182081	(determin\$6 generat\$4 configur \$7) near4 (key\$1 password\$1 code \$1 pin)	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L104	62	L102 and L103	USPAT; IBM_TDB	OR	OFF	2009/03/02 09:09
L105	1129	(initiat\$4 start\$4 defin\$4 determin \$6 identif\$8) near5 (event\$1 procedure\$1 access\$3) near8 (building\$1 office \$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:01
L106	58854	(defin\$4 determin \$6 identif\$8) near5 (person\$1 client\$1 people firefighter\$1 police \$4 doctor\$1 nurse \$1 emergency urgent\$2)	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:04

L107	2128	(initiat\$4 start\$4 defin\$4 determin\$6 identif\$8 respond\$3 result\$3) near5 (fire\$1 emergency disaster\$1 event\$1 procedure\$1 access\$3) near8 (building\$1 office\$1 elevator\$1 apartment\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:05
L108	455	106 and 107	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:06
L110	99744	(determin\$6 identif\$8 detect\$4 occurrence\$1) near5 (event\$1 fire attack\$3 emergency urgent\$2)	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:12
L111	834	110 and 107	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:12
L112	76	111 and ((authori\$7 authentic\$6 verif\$8) near5 (person\$1 people\$1 firefighter\$1 doctore\$1 emt nurse\$1 renter\$1 occupant\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:14
L113	433	(generat\$4 creat\$4) near5 (virtual\$1 near3 (code\$1 password\$1 pin key\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:15
L114	0	112 and 113	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:15
L115	65	110 and 113	USPAT; IBM_TDB	OR	OFF	2009/03/02 10:16
L116	3	(initiat\$3 and event\$1 and procedure\$1 and virtual and key and building\$1). clm.	US-PGPUB	OR	OFF	2009/03/02 11:10

3/ 2/ 09 11:11:13 AM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\09855000.wsp